

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 1 of 17

Revision date: 01.17.2023

Elastic 50A Resin

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Elastic 50A Resin

Product code: FLELCL01

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For use in Formlabs SLA Printers

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

United States

Formlabs, Inc
35 Medford St
Suite 201 Somerville, MA 02143
+1 617 855 0762
sds@formlabs.com

Supplier:

Germany

Formlabs GmbH
Nalepastr. 18
Berlin, . 12459
+49 30 700 146 501

1.4 Emergency telephone number:

European Union

CHEMTREC (EMEA)

+44 20 3885 0382 (24/7)

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 (CLP):

Skin irritation, category 2

Serious eye damage, category 1

Respiratory sensitization, category 1

Skin sensitization, category 1

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Chronic aquatic hazard, category 2

Hazard-determining components of labeling:

Isobornyl acrylate

4-hydroxybutyl acrylate

Additional Information: None

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms:



Signal Word: Danger

Hazard statements:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 2 of 17

Revision date: 01.17.2023

Elastic 50A Resin

H315 Causes skin irritation
H318 Causes serious eye damage
H317 May cause an allergic skin reaction
H335 May cause respiratory irritation
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H411 Toxic to aquatic life with long lasting effects

Precautionary statements:

P264 Wash skin thoroughly after handling
P280 Wear protective gloves/protective clothing/eye protection.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray
P272 Contaminated work clothing should not be allowed out of the workplace
P271 Use only outdoors or in a well-ventilated area
P273 Avoid release to the environment
P284 [In case of inadequate ventilation] wear respiratory protection
P302+P352 IF ON SKIN: Wash with plenty of water.
P332+P313 If skin irritation occurs: Get medical advice/attention
P362 Take off contaminated clothing
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P333+P313 If skin irritation or rash occurs: Get medical advice/attention
P363 Wash contaminated clothing before reuse
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 Call a POISON CENTER/doctor/ if you feel unwell
P391 Collect spillage
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/ ...
P403+P233 Store in a well-ventilated place. Keep container tightly closed
P405 Store locked up
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards: None known

SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable.

3.2 Mixture:

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 2478-10-6 EC number: 219-606-3	-	4-hydroxybutyl acrylate	Acute Tox. 4 (Oral); H302 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Dam. 1; H318	25-45

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 3 of 17

Revision date: 01.17.2023

Elastic 50A Resin

CAS number: 5888-33-5 EC number: 227-561-6	-	Isobornyl acrylate	Skin Irrit. 2; H315 STOT SE 3 (RI); H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317 Resp. Sens. 1; H334	15-25
CAS number: 84434-11-7 EC number: 282-810-6	-	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	<1

Additional information: None

Full Text of H and EUH statements: See section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

Following inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If exposed, seek medical advice/attention.

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

Following skin contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

Following eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Following ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by physician or poison control center. Rinse mouth with water. Never give anything to drink to an unconscious person. Seek medical advice.

Self-Protection of the first aider:

Not determined or not available.

4.2 Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Inhalation exposure may cause allergy, asthma symptoms or breathing difficulties. Symptoms may include cough, chronic phlegm, shortness of breath, wheezing and chest tightness. Symptoms may be delayed.

Symptoms may include blistering, irritation, burns and pain. Effects are dependent on exposure (dose, concentration, contact time).

Delayed symptoms and effects:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 4 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Effects are dependent on exposure (dose, concentration, contact time).

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment:

Not determined or not available.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition may produce irritating/toxic fumes/gases.

5.3 Advice for firefighters

Personal protection equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up:

Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

6.4 Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 5 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

7.3 Specific end use(s):

Refer to Section 1 (Recommended Use).

SECTION 8: Exposure controls/personal protection



8.1 Control parameters

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL):

Ingredient Name: 4-hydroxybutyl acrylate

CAS #: 2478-10-6

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	8.2 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	3 mg/m ³
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	3 mg/m ³
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	No hazard identified
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 6 of 17

Revision date: 01.17.2023

Elastic 50A Resin

General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified

Ingredient Name: Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

CAS #: 84434-11-7

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	4.93 mg/m ³
	Chronic - Dermal	1.4 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	0.5 mg/kg bw/day
	Chronic - Inhalation	0.87 mg/m ³
	Chronic - Dermal	0.5 mg/kg bw/day
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified

Ingredient Name: Isobornyl acrylate

CAS #: 5888-33-5

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	4.9 mg/m ³
	Chronic - Dermal	1.39 mg/kg bw/day

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 7 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	0.83 mg/kg bw/day
	Chronic - Inhalation	1.45 mg/m ³
	Chronic - Dermal	0.83 mg/kg bw/day
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	Hazard identified but no DNEL available

Predicted No Effect Concentration (PNEC):

Ingredient Name: 4-hydroxybutyl acrylate

CAS #: 2478-10-6

Environmental Protection Target	PNEC
Fresh water	0.014 mg/L
Freshwater sediments	0.086 mg/kg
Marine water	0.001 mg/L
Marine sediments	0.009 mg/kg
Microorganisms in sewage treatment	10 mg/L
Soil (agricultural)	0.037 mg/kg
Air	No hazard identified

Ingredient Name: Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

CAS #: 84434-11-7

Environmental Protection Target	PNEC
Fresh water	1.01 µg/L
Freshwater sediments	0.24 mg/kg sediment dw
Marine water	0.101 µg/L
Marine sediments	0.024 mg/kg sediment dw
Microorganisms in sewage treatment	No hazard identified
Soil (agricultural)	0.047 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

Ingredient Name: Isobornyl acrylate

CAS #: 5888-33-5

Environmental Protection Target	PNEC
---------------------------------	------

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 8 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Fresh water	0.001 mg/L
Freshwater sediments	0.145 mg/kg sediment dw
Marine water	0 mg/L
Marine sediments	0.015 mg/kg sediment dw
Microorganisms in sewage treatment	2 mg/L
Soil (agricultural)	0.029 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

Information on monitoring procedures:

Not determined or not applicable.

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety goggles.

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory protection.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.
Instruction measures to prevent exposure:	Not determined or not applicable.
Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

Risk management measures to control exposure:

Not determined or not applicable.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 9 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Physical State	Transparent Violet Liquid
Color	Not determined or not available.
Odor/Odor threshold	Characteristic acrylate
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	> 100°C
Flash point (closed cup)	> 93.5°C
Flammability	Not Flammable
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Relative vapor density	Not determined or not available.
Density	1.02 g/cm ³
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Kinematic viscosity	2950 @ 35°C
Particle characteristics	Not determined or not available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosives	No data available
Flammable gases	No data available
Aerosols	No data available
Oxidizing gases	No data available
Gases under pressure	No data available
Flammable liquids	No data available
Flammable solids	No data available
Self-reactive substances and mixtures	No data available
Pyrophoric liquids	No data available
Pyrophoric solids	No data available
Self-heating substances and mixtures	No data available
Substances and mixtures, which emit flammable gases in contact with water	No data available
Oxidizing liquids	No data available
Oxidizing solids	No data available
Organic peroxides	No data available
Corrosive to metals	No data available
Desensitized explosives	No data available

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 10 of 17

Revision date: 01.17.2023

Elastic 50A Resin

9.2.2 Other safety characteristics

None.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Not reactive under recommended handling and storage conditions.

10.2 Chemical stability:

Stable under recommended handling and storage conditions.

10.3 Possibility of hazardous reactions:

Stable under recommended handling and storage conditions.

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

10.4 Conditions to avoid:

Incompatible materials. Avoid storage >38°C (100°F) and exposure to light/direct sunlight and heat.

10.5 Incompatible materials:

Strong oxidizing agents. Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Isobornyl acrylate	oral	LD50 Rat: 4350 mg/kg
	dermal	LD50 Rabbit: >3000 mg/kg
4-hydroxybutyl acrylate	oral	LD50 Rat: 823 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >=2000 mg/kg

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
Isobornyl acrylate	Causes skin irritation.
4-hydroxybutyl acrylate	Causes skin irritation.

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 11 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Product data:

No data available.

Substance data:

Name	Result
Isobornyl acrylate	Causes serious eye irritation.
4-hydroxybutyl acrylate	Causes serious eye damage.

Respiratory or skin sensitization**Assessment:**

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product data:

No data available.

Substance data:

Name	Result
4-hydroxybutyl acrylate	May cause an allergic skin reaction.
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	May cause an allergic skin reaction.
Isobornyl acrylate	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
4-hydroxybutyl acrylate	Not Applicable
Isobornyl acrylate	Not Applicable
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Not Applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)**Assessment:**

May cause respiratory irritation.

Product data:

No data available.

Substance data:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 12 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Name	Result
Isobornyl acrylate	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

11.2 Information on other hazards

Endocrine disrupting properties:

Substance data: No data available.

Other information:

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Isobornyl acrylate	Fish LC50 Danio rerio: 0.704 mg/L (96 h [mortality])
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Aquatic Plants EC50 Pseudokirchneriella subcapitata: >2.01 mg/L (72 hr [growth rate; read-across])
	Fish LC50 Danio rerio: 1 mg/L (96 hr [read-across])
	Aquatic Invertebrates EC50 Daphnia magna: 3.53 mg/L (48 hr [read-across])

Chronic (long-term) toxicity

Assessment:

Toxic to aquatic life with long lasting effects.

Product data: No data available.

Substance data:

Name	Result
Isobornyl acrylate	Aquatic Invertebrates NOEC Daphnia magna: 0.092 mg/L (21 d [reproduction])

12.2 Persistence and degradability

Product data: No data available.

Substance data:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 13 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Name	Result
Isobornyl acrylate	The substance is inherently biodegradable and non-persistent (43 - 57% degradation in 28 days, measured by Oxygen consumption).
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	The substance is not readily biodegradable. <10 % degradation in water, measured by O2 consumption, after 28 days.

12.3 Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Isobornyl acrylate	BCF: 37
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	The substance has a low potential for bioaccumulation based on a log Kow of 2.91.

12.4 Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Based on a log Koc of 3.37, adsorption to solid soil phase is expected.

12.5 Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Isobornyl acrylate	The substance is not PBT.
--------------------	---------------------------

vPvB assessment:

Isobornyl acrylate	The substance is not vPvB.
--------------------	----------------------------

12.6 Endocrine disrupting properties

Substance data: No data available.

12.7 Other adverse effects: No data available.

12.8 Hazard to the ozone layer

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Product / Packaging disposal:

Dispose contaminated packages in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

Waste codes / waste designations according to LoW: Not determined or not available.

13.1.2 Waste treatment-relevant information: Not determined or not available.

13.1.3 Sewage disposal-relevant information: Not determined or not available.

13.1.4 Other disposal recommendations:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 14 of 17


Revision date: 01.17.2023

Elastic 50A Resin


Do not discharge into public wastewater or surface waters. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

SECTION 14: Transport information


International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number or ID number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Isobornyl Acrylate
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of ≤5L or ≤5 kg provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number or ID number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Isobornyl Acrylate
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of ≤5L or ≤5 kg provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

International Maritime Dangerous Goods (IMDG)

UN number or ID number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Isobornyl Acrylate
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of ≤5L or ≤5 kg provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

Safety Data Sheet


According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 15 of 17

Revision date: 01.17.2023

Elastic 50A Resin

UN number or ID number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Isobornyl Acrylate
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of $\leq 5L$ or $5 \leq kg$ provided the packaging meets the general provisions of 5.0.2.4.1, 5.0.2.6.1 and 5.0.2.8.

Maritime Transport in Bulk according to IMO Instruments

Bulk Name	None
Ship type	None
Pollution category	None
IMO hazard class	None
Environmental hazards	None
Material hazardous only in bulk	None
Cargo Group	None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

European regulations

Inventory listing (EINECS): All ingredients are listed or exempt.

REACH SVHC candidate list: None of the ingredients are listed.

REACH SVHC Authorizations: None of the ingredients are listed.

REACH Restriction: None of the ingredients are listed.

Water hazard class (WGK) (Product): Not determined.

Water hazard class (WGK) (Substance):

Ingredient Name	CAS	Class
4-hydroxybutyl acrylate	2478-10-6	Water hazard class 1: slightly hazardous to water
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinite	84434-11-7	Water hazard class 2: obviously hazardous to water
Isobornyl acrylate	5888-33-5	Water hazard class 2: obviously hazardous to water

Other regulations

Germany TA Luft: None of the ingredients are listed.

Additional information: Not determined.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 16 of 17

Revision date: 01.17.2023

Elastic 50A Resin

Abbreviations and Acronyms: None

Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Skin irritation, category 2	Calculation method
Serious eye damage, category 1	Calculation method
Respiratory sensitization, category 1	Calculation method
Skin sensitization, category 1	Calculation method
Specific target organ toxicity - single exposure, category 3, respiratory tract irritation	Calculation method
Chronic aquatic hazard, category 2	Calculation method

Summary of classification(s) in section 3:

Acute Tox. 4 (Oral)	Acute toxicity (oral), category 4
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Eye Dam. 1	Serious eye damage, category 1
STOT SE 3 (RI)	Specific target organ toxicity - single exposure, category 3, respiratory tract irritation
Aquatic Acute 1	Acute aquatic hazard, category 1
Aquatic Chronic 1	Chronic aquatic hazard, category 1
Resp. Sens. 1	Respiratory sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Chronic 2	Chronic aquatic hazard, category 2

Summary of hazard statements in section 3:

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H411	Toxic to aquatic life with long lasting effects

Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 05.16.2022

Revision date: 01.17.2023

Revision Notes:

Revision Date	Notes
---------------	-------

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 05.16.2022

Page 17 of 17

Revision date: 01.17.2023

Elastic 50A Resin

2022-05-16

Version 1.20

End of Safety Data Sheet